

Benchmark Barrels
Buttomed

Updated: 25/06/2025

20 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
20	SS	9 - 6GR	24"	Shank 1" Straight Tapered to .750"	No	B201
20	SS	11 - 6GR	24"	Sendero	No	B202
20	SS	10 - 6GR	25"	Rem Varm	No	B203
20	SS	10 - 6GR	26"	Shank 1.250" Straight Tapered to .860"	No	B204
20	SS	10 - 6GR	25"	Rem Varm	No	B205
20	SS	10 - 6GR	25"	Rem Varm	No	B206
20	SS	10 - 6GR	27"	Tikka Varm	No	B207
20	SS	10 - 6GR	27"	Tikka Varm	No	B208
20	SS	10 - 6GR	26"	Tikka Varm	No	B209
20	SS	10 - 6GR	26"	Tikka Varm	No	B2010
20	SS	10 - 6GR	24"	Tikka Varm	No	B2011
20	SS	10 - 6GR	24"	Benchmark #4	No	B2012
20	SS	10 - 6GR	24"	Benchmark #4	No	B2013
20	SS	10 - 6GR	24"	Sako L461	No	B2014
20	SS	10 - 6GR	24"	Sako L461	No	B2015
20	SS	10 - 6GR	26"	Tikka Sporter	No	B2016

22 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Spiral Fluted	Yes	B2250
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Spiral Fluted	Yes	B2251
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Spiral Fluted	Yes	B2252
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Spiral Fluted	Yes	B2253
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Fluted	Yes	B2221
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Fluted	Yes	B2222
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Fluted	Yes	B2223
22RF	SS	16.5 - 3GR	20"	Benchmark #5 Fluted	Yes	B2224
22RF	SS	16.5 - 3GR	22"	MTU	No	B228
22RF	SS	16.5 - 3GR	22"	MTU	No	B229
22RF	SS	16.5 - 3GR	22"	MTU	No	B2213

22RF	SS	15 - 3GR	24"	M24	No	B2229
22RF	SS	16.5 - 3GR	24"	.750" parallel	No	B2228
22RF	SS	16.5 - 3GR	24"	MTU	No	B2254
22RF	SS	16.5 - 3GR	24"	MTU	No	B2255
22RF	SS	16.5 - 3GR	24"	MTU	No	B2256
22RF	SS	15 - 3GR	26"	Shank 1.100" Straight Tapered to 1.020"	No	B2239
22RF	SS	16.5 - 2GR	26"	Shank .900"x2.5" Straight Tapered to .830"	No	B2226
22RF	SS	16.5 - 3GR	26"	M24 Fluted	Yes	B220
22RF	SS	16.5 - 2GR	26"	Shank .900" Straight Tapered to .830"	No	B2227
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B2258
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B2262
22RF	SS	16.5 - 2GR	27"	1.220" Straight	No	B2261
22RF	SS	16.5 - 3GR	27"	1.220" Straight	No	B2257
22RF	SS	16.5 - 3GR	27"	1.220" Straight	No	B2225
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B2233
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B2235
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B2236
22RF	SS	15 - 3GR	27"	Shank .950" Straight Tapered to .900"	No	B2217
22RF	SS	15 - 3GR	27"	Shank .950" Straight Tapered to .900"	No	B2238
22RF	SS	16.5 - 3GR	27"	M24	No	B221
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B222
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B223
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B2237
22RF	SS	16.5 - 3GR	27"	0.900" Straight	No	B2259
22RF	SS	16.5 - 3GR	27"	0.900" Straight	No	B2260
22RF	SS	16.5 - 3GR	27"	1.00" Straight	No	B2214
22RF	SS	16.5 - 3GR	27"	1.220" Straight	No	B2215
22RF	SS	16.5 - 3GR	27"	1.220" Straight	No	B2216
22RF	SS	16.5 - 3GR	27"	0.900" Straight	No	B2218
22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B225
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B226
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B227
22RF	SS	16.5 - 3GR	27"	Benchmark #4	No	B2219
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B2220
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B2232
22RF	SS	16.5 - 2GR	27"	0.900" Straight	No	B2234

22RF	SS	16.5 - 2GR	27"	1.00" Straight	No	B2235
22RF	SS	16.5 -2GR	27"	1.00" Straight	No	B2257
22RF	SS	16.5 -2GR	27"	1.220" Straight	No	B2263
22RF	SS	16.5 -2GR	27"	1.00" Straight	No	B2264
22RF	SS	16.5 -2GR	27"	1.00" Straight	No	B2265
22RF	SS	16.5 -2GR	27"	0.900" Straight	No	B2266

224 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
0.224	SS	9 - 3GR	20"	Shank 1.250" Straight Tapered to 1.00"	No	B2249
0.224	SS	12 - 6GR	24"	Benchmark #2	No	B224081
0.224	SS	12 - 6GR	24"	Benchmark #2	No	B2243
0.224	SS	12 - 5GR	26"	Benchmark #5	No	B2240
0.224	SS	12 - 6GR	26"	Benchmark #1	No	B2241B
0.224	SS	12 - 6GR	26"	Benchmark #5 Fluted	Yes	B2245
0.224	SS	12 - 6GR	27"	Benchmark #2	No	B22421

243/6mm Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
6mm	SS	9 - 5GR	18"	Benchmark #3 Fluted	No	B64
6mm	SS	8 - 5GR	20"	MTU Profile	No	B62
6mm	SS	10	24.5"	Benchmark #6 Chambered 243 WSSM	No	B617
6mm	SS	7.5 - 5GR	22"	Shank 1.150" MTU	No	B61
6mm	SS	8 - 5GR	26"	1.062" Straight Tapered .900"	No	B65
6mm	SS	10 - 6GR	24"	Shank 1.125 Straight Tapered to .850	No	B621

25 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
------------	-------	-------	---------------	---------	--------	--------

264/6.5mm Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
6.5mm	SS	8 - 5GR	21"	Benchmark #1	No	B654
6.5mm	SS	8 - 5GR	22"	Benchmark #5 Spiral Fluted	Yes	B651
6.5mm	SS	8 - 5GR	22"	Benchmark #5 Spiral Twist	Yes	B6511

6.5mm	SS	7.5 - 5GR	22"	Benchmark #5	No	B652
6.5mm	SS	8 - 5GR	24"	Benchmark #5	No	B6530
6.5mm	SS	8 - 5GR	24"	Benchmark #5	No	B657
6.5mm	SS	8 - 5GR	25"	Benchmark #3 Fluted	Yes	B653
6.5mm	SS	8 - 5GR	26"	1.062" Straight Tapered to .900"	No	B655
6.5mm	SS	8 - 5GR	26"	1.062" Straight Tapered to .900"	No	B656
6.5mm	SS	8 - 5GR	26"	Benchmark #5	No	B658
6.5mm	SS	8 - 5GR	26"	Benchmark #5	No	B659

270 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

284/7mm Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-----------------	-------	-------	---------------	---------	--------	--------

7mm	SS	8 - 5GR	22"	1.175" Straight Tapered to .800"	No	B711
7mm	SS	9 - 5GR	24"	Tikka Sporter	No	B73
7mm	SS	8 - 5GR	24"	Benchmark #4	No	B720
7mm	SS	9 - 5GR	24"	Benchmark #4	Yes	B700
7mm	SS	8.5 - 5GR	24"	Benchmark #2	No	B71
7mm	SS	8 - 5GR	24"	Benchmark #4	No	B732
7mm	SS	8 - 5GR	26"	Benchmark #6	No	B713
7mm	SS	8 - 5GR	26"	Rem Varm	No	B721
7mm	SS	8 - 5GR	26"	Benchmark #4	No	B715
7mm	SS	9 - 5GR	27"	Benchmark #4	No	B710
7mm	SS	9 - 5GR	27"	Benchmark #5	Yes	B76
7mm	SS	9 - 5GR	27"	Benchmark #5	No	B78
7mm	SS	9 - 5GR	27"	Benchmark #5	No	B714
7mm	SS	9 - 5GR	27"	Benchmark #5	No	B718

30 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
------------	-------	-------	---------------	---------	--------	--------

30	SS	8	19"	Shank 1.250" x 3" Tapered to 1.00"	No	B303
30	SS	10 - 5GR	24"	Sporter Shank 1.080" muzzle 0.550	No	B304
30	SS	12 - 5GR	24"	Benchmark #4 with Tikka Shank	No	B309
30	SS	10 - 5GR	26"	1.0625 ST to .900	No	B3061

30	SS	11 - 5GR	26"	Rem Varm	No	B3015
30	SS	10 - 5GR	26"	BH Varmint	No	B301
30	SS	10 - 5GR	26"	Modified Palma .900" @ Transition .700" Muzzle	No	B307
30	SS	10 - 5GR	26"	Rem Varm Fluted	Yes	B302
30	SS	10 - 5GR	27"	Rem Varm	No	B306
30	SS	11 - 4GR	32"	Heavy Palma Diamond Fluted Tight Bore	Yes	B305
30	SS	12.4 - 6GR	32"	Medium Palma Spiral Fluted	Yes	B308
30	SS	10 - 3GR	32"	Heavy Palma	No	B3040

8mm Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

338 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

0.338	SS	8.5	18"	Heavy Palma	Yes	B3382
0.338	SS	9 - 5GR	26"	Sendero	No	B3381
0.338	SS	10	26"	Sendero	Yes	B3384
0.338	SS	10	26"	Sendero	Yes	B3385
0.338	SS	10 - 5GR	26"	Red Varm	No	B3387
0.338	SS	10 - 5GR	26"	Sendero	No	B33800
0.338	SS	9	27"	Sendero	Yes	B3389
0.338	SS	9.5	27"	Heavy Palma	Yes	B3386
0.338	SS	9.5 - 5GR	28"	Benchmark #5	Yes	B3383
0.338	SS	9.4 - 3GR	28"	Red Varm	No	B33810
0.338	SS	9.4 - 3GR	30"	Medium Palma	No	B3388
0.338	SS	9.5 - 5GR	30"	Sendero	No	B33811

35 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
------------	-------	-------	---------------	---------	--------	--------

375 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

408 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

408	SS	13 - 8GR	30"	1.375" Straight Tapered 1.125" Spiral Fluted	Yes	B4081
-----	----	----------	-----	--	-----	-------

416 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
-------------	-------	-------	---------------	---------	--------	--------

45 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
------------	-------	-------	---------------	---------	--------	--------

50 Caliber	Steel	Twist	Usable Length	Profile	Fluted	Item #
------------	-------	-------	---------------	---------	--------	--------